

BIOLOGY



Important Questions

➤ Multiple Choice Questions:

- Which of the following countries has the highest biodiversity?
 - Brazil
 - South Africa
 - Russia
 - India.
- Which of the following is not a cause for loss of biodiversity?
 - Destruction of habitat
 - Invasion by alien species
 - Keeping animals in zoological parks
 - Over-exploitation of natural resources.
- Which of the following is not an invasive alien species in the Indian context?
 - Lantana
 - Cynodon
 - Parthenium
 - Eichhornia.
- Where among the following will you find pitcher plant?
 - Rain forest of North-East India
 - Sunderbans
 - Thar Desert
 - Western Ghats.
- Which one of the following is not a major characteristic feature of biodiversity hotspots?
 - Large number of species
 - Abundance of endemic species
 - Large number of exotic species
 - Destruction of habitat.
- What is common to the following plants: Nepenthes, Psilotum, Rauwolfia and Acontium?
 - All are ornamental plants
 - All are phylogenetic link species
 - All are prone to over-exploitation
 - All are exclusively present in the Eastern Himalayas.
- The most important cause of biodiversity loss is:
 - Over exploitation of economic species

- (b) Habitat loss and fragmentation
(c) Invasive species
(d) Breakdown of plant-pollinator relationships
8. Amongst the animal groups given below, which one has the highest percentage of endangered species?
- (a) Insects
(b) Mammals
(c) Amphibians
(d) Reptiles.
9. Which one of the following is an endangered plant species of India?
- (a) *Rauwolfia serpentina*
(b) *Santalum album* (Sandal wood)
(c) *Cycas beddonei*
(d) All of the above.
10. What is common to *Lantana*, *Eichhornia* and African catfish?
- (a) All are endangered species of India
(b) All are key stone species
(c) All are mammals found in India
(d) All the species are neither threatened nor indigenous species of India.
11. The extinction of passenger pigeon was due to:
- (a) Increased number of predatory birds.
(b) Over-exploitation by humans
(c) Non-availability of the food
(d) Bird flu virus infection
12. Which of the following statements is correct?
- (a) *Parthenium* is an endemic species of our country.
(b) African catfish is not a threat to indigenous catfishes.
(c) Steller's sea cow is an extinct animal.
(d) *Lantana* is popularly known as carrot grass.
13. Among the ecosystem mentioned below, where can one find maximum biodiversity?
- (a) Mangroves
(b) Desert
(c) Coral reefs
(d) Alpine meadows
14. Which of the following forests is known as the 'lungs of the planet Earth'?

- (a) Tiaga forest
- (b) Tundra forest
- (c) Amazon rain forest
- (d) Rain forests of North East India

15. The active chemical drug reserpine is obtained from:

- (a) Datura
- (b) Rauwolfia
- (c) Atropa
- (d) Papaver

➤ Very Short Question:

1. Habitat loss and fragmentation has caused severe damage to a particular type of ecosystem. Name it.
2. What trend is observed in respect of species diversity when we move from equator to poles?
3. Which region is considered as the one with highest biodiversity on earth? What is the name given to such region. forests?
4. Ecologists have discovered that value of Z lies in range of 0.1 to 0.2 regardless of taxonomic group or region. When will the slope of line steeper in species area relationship?
5. Define cryopreservation. Why is it useful in conserving biodiversity?
6. What are hot spots?
7. Name any two threatened animal species of India?
8. Name two most biodiversity rich zones of India?
9. What is cryopreservation?
10. Write the scientific name of the plant that yields reserpine?

➤ Short Questions:

1. How many species of plants and animals have been described by IUCN in 2004? What is global species diversity according to Robert May?
2. Explain co-extinction with a suitable example.
3. Study the pie-diagram and answer the questions which follows:
What do A, B, C and D represent in these diagrams.
4. What is IUCN red list? Give any two uses of this list?
5. "Species diversity of plants is much less than that of animals" Why?

6. "Amazonian rain forest in south America has the greatest bio-diversity on earth". Justify the statement.
7. Sometimes introduction of an exotic species upsets native species of the ecosystem. Substantiate the statement with the help of an example?
8. What do you mean lay species diversity? Name two measures of species diversity?

➤ Long Questions:

1. What is biodiversity? Why has it become important recently?
2. Explain what is meant by species diversity?
3. What is genetic diversity? Explain.

➤ Assertion & Reason Questions:

1. For question two statements are given-one labelled Assertion and the other labelled Reason. Select the correct answer to these questions from the codes (a), (b), (c) and (d) as given below.
 - a. Both assertion and reason are true and reason is the correct explanation of assertion.
 - b. Both assertion and reason are true but reason is not the correct explanation of assertion.
 - c. Assertion is true but reason is false.
 - d. Both assertion and reason are false.

Assertion: Most common forest type in India is tropical dry deciduous forests.

Reason: They are common in West Bengal.

2. For question two statements are given-one labelled Assertion and the other labelled Reason. Select the correct answer to these questions from the codes (a), (b), (c) and (d) as given below.
 - a. Both assertion and reason are true and reason is the correct explanation of assertion.
 - b. Both assertion and reason are true but reason is not the correct explanation of assertion.
 - c. Assertion is true but reason is false.
 - d. Both assertion and reason are false.

Assertion: There are 36 biodiversity hotspots in the world.

Reason: High level of species richness is a criteria for selection of a biodiversity hotspot.

➤ Case Study Questions:

1. Read the following and answer any four questions from (i) to (v) given below:

The Kakapo is the world's largest and heaviest parrot, found only in New Zealand. It is unusual in that it is nocturnal, flightless and ground-dwelling. It is an excellent climber of trees, has strong legs that allow it to "jog" several kilometres in a single trip, and has mossy green plumage mottled with brown and yellow. The Kakapo is also critically endangered as of now, there were only few known living individuals left.

- i. Which could be the possible reason for Kakapo to be well-adapted to its environment prior to the arrival of humans in New Zealand?
 - a. Kakapo was active only in the night when its potential predators would not be out for hunting.
 - b. The Kakapo would likely be well-camouflaged among the forest foliage due to its greenish plumage.
 - c. It was able to effectively hunt for food in the night.
 - d. All of these.
- ii. When humans started to settle in New Zealand, they took with them non-native animals, including mammals such as cats, dogs and stoats. By which of the following ways, human settlement likely contributed to a near decimation of Kakapo populations in New Zealand?
 - a. Habitat destruction.
 - b. Alien species invasion.
 - c. Pollution.
 - d. Both (a) and (b).
- iii. All known survived Kakapo have been relocated by the New Zealand government to three predator-free islands, where they are monitored year round by staffs and volunteers to ensure that the birds are safe, healthy and well-fed. The extremely low population of Kakapo is a hurdle to the species becoming viable in the long term, despite such dedicated conservation efforts. This is because.
 - a. The small population results in very small gene pool.
 - b. There would be very limited genetic diversity among the resulting offspring.
 - c. Of reduced capacity of the species to adapt and survive changes in the environment.
 - d. All of these.
- iv. The reasons behind conserving biodiversity have been grouped into which of the following categories?
 - a. Narrowly utilitarian.
 - b. Broadly utilitarian.
 - c. Ethical.
 - d. All of these.
- v. One of the ex situ conservation methods for endangered species is:
 - a. Wildlife sanctuaries.

- b. Biosphere reserves.
- c. Cryopreservation.
- d. National parks.

2. Read the following and answer any four questions from (i) to (v) given below:

Excessive exploitation of species, whether a plant or animal reduces the size of its population so it becomes vulnerable to extinction. Such as Dodo and passenger pigeon have become extinct due to over exploitation by humThus the world is facing accelerated rates of species extinctions, largely due to human interference.

- i. Which of the following cause of biodiversity loss is not included in evil quartet?
 - a. Coextinction.
 - b. Pollution.
 - c. Alien species invasion.
 - d. Habitat loss and fragmentation.
- ii. Identify the species that have become extinct due to over exploitation.
 - a. Stellar sea cow.
 - b. Yucca moth.
 - c. Blatta orientalis.
 - d. Nile Perch.
- iii. Factors which make species susceptible to extinction are:
 - a. Large population size.
 - b. Lack of genetic variability.
 - c. Ower status of trophic level.
 - d. Ability to switch over to ahem ate foods.
- vi. **Assertion:** Pollution reduces species biodiversity.
Reason: Spill over of oil in sea causes death of several marine animals.
 - a. Both assertion and reason are true and reason is the correct explanation of assertion.
 - b. Both assertion and reason are true but reason is not the correct explanation of assertion.
 - c. Assertion is true but reason is false.
 - d. Both assertion and reason are false.
- v. _____ is the first major cause of species extinction.
 - a. Coextinction.
 - b. Over exploitation.
 - c. Habitat destruction.
 - d. Alien species invasion.

✓ Answer Key-

➤ Multiple Choice Answers:

1. (a) Brazil
2. (c) Keeping animals in zoological parks
3. (b) Cynodon
4. (a) Rain forest of North-East India
5. (d) Destruction of habitat.
6. (c) All are prone to over-exploitation
7. (b) Habitat loss and fragmentation
8. (c) Amphibians
9. (d) All of the above.
10. (d) All the species are neither threatened nor indigenous species of India.
11. (b) Over-exploitation by humans
12. (b) African catfish is not a threat to indigenous catfishes.
13. (c) Coral reefs
14. (c) Amazon rain forest
15. (b) Rauwolfia

➤ Very Short Answers:

1. Tropical Rain Forest.
2. In general, species diversity decreases as we move away from the equator towards poles.
3. Amazonian rain forests. They are also called the 'Lungs of the planet'.
4. Slope of line is much steeper if one analyses the species-area relationship among very large areas like entire continents.
5. Preserving a material in liquid nitrogen at -196°C . It can be done to preserve threatened species in viable and fertile condition for long period.
6. Hot spots are the priority areas of conservation that are extremely rich in species have high endemism & under constant threat of extinction.
7. Swamp Deer & Great Indian Rhinoceros
8. Western Ghats & eastern Himalayas.
9. Cryopreservation is the storage of materials at ultra – low temperature either by rapid cooling or by gradual cooling & simultaneous dehydration at low temp.

10. Rauwolfiaserpentina.

➤ Short Answer:

1. IUCN (2004) has described slightly more than 1.5 million species of plants and animals. According to Robert May's estimates the global species diversity is about 7 million.
2. Coextinction refers to the disappearance of species with extinction of another species of plant or animal with which it was associated in an obligatory way. e.g., Plant-pollinator mutualism.
3. A →Crustaceans B →Insects
C →Mosses D →Fungi
4. IUCN (International union of conservation of nature & natural resources) maintains a "Red datalist" which is a catalogue of taxa facing risk of extinction. The main purpose of this list:-
 - i) to identify & document the species with high risk of extinction.
 - ii) to provide awareness to the degree of threat to biodiversity.
5. The species diversity of plants is much less than that of animals because most animals possess nervous system that control & coordinate various activities of animals. They also possess receptors to receive environmental stimuli some of these responses are adaptive & ensure survival of organism in changing environmental conditions.
6. Amazonian rain forest in south America has the greatest biodiversity on earth; it harbors about 40000 species of plants, 1,25,000 species of insects, 3000 species of fishes, 427 of amphibians, 378 of reptiles, 1300 of birds & 427 of mammals.
7. The alien species become invasive & compete with native species causing extinction of indigenous species e.g. introduction of African catfish (*Clarias gariepinus*) for aquaculture purposes, is posing threat to our. Indigenous catfish, (*Clarias fuscus*).
8. Species diversity refers to the variety of species within a region. The two important measures of species diversity are:-
 - i. Species richness:- It refers to number of species per unit area.
 - ii. Species evenness :- It refers to relative abundance with which each species is represented in an area.

➤ Long Answer:

1. Biodiversity: The term biodiversity was coined by W.G. Rosen in 1985. It is the occurrence of different kinds of organisms and the complete range of varieties adapted to different climates, environments, and areas being constituents of food chains and food webs of biotic interrelationships. Biodiversity refers to the totality of genes, species, and ecosystems of a region. Biodiversity differs from place to place.

Significance of biodiversity: As there is a continuous loss of biodiversity due to increasing

population, resource consumption, urbanization, and pollution, it is important to conserve it. The basic reason for concern is that biodiversity is being lost even before it attains its size. Loss of biodiversity would check the evolutionary capability of biota to cope up with an environmental loss.

2. Species diversity. The diversity includes the whole range of organisms found on earth. The number of identified species worldwide is between 1.7 and 1.8 million. However, the estimates of total known species maybe 50 million. A large number of plant and animal species are yet to be identified. There are many more species present in the tropics.

The two important measures of species diversity are:

- i. Species richness: It refers to the number of species per unit area.
 - ii. Species evenness: It refers to the relative abundance with which each species is represented in an area.
 - iii. The variety and number of individuals determine the level of diversity of an ecosystem.
 - iv. The Western Ghats have a greater diversity of amphibian species than the Eastern Ghats.
3. Genetic diversity:
- i. The greater the genetic diversity among organisms of a species, the more sustenance it has against environmental perturbations. The genetically uniform populations are highly prone to diseases and harsh environments.
 - ii. The genetic variation shown by Rauwolfia can be in terms of the concentration and potency of the chemical reserpine.

There are more than 50,000 genetically different strains of rice and 1,000 varieties of mango in India.

➤ Assertion & Reasons Answer:

1. (c) Assertion is true but reason is false

Explanation:

The tropical monsoon deciduous forests are found in areas receiving an annual rainfall of 100 to 200cms in India, with a distinct dry and rainy season and minimum temperature. The south western ghats moist deciduous forests are a tropical moist broad leaf forest ecoregion of southern India. It covers the southern portion of the Western Ghats range and the Nilgiri Hills between 250 and 1000 meters elevation in Kerala, Karnataka and Tamil Nadu states.

2. (b) Both assertion and reason are true but reason is not the correct explanation of assertion.

Explanation:

Hotspots are areas with high density of biodiversity or megadiversity which are also the most threatened ones. Ecologically hotspots are determined by four factors.

- i. Number of species/species diversity.
- ii. Degree of endemism.
- iii. Degree of threat to habitat due to its degradation and fragmentation.
- iv. Degree of exploitation.
- v. Myers (1988) initially identified 12 hotspots. Today the number of hotspots identified by ecologists is 36.

➤ Case Study Answer:

1.

(i) - (d) All of these.

Explanation:

Since the Kakapo is nocturnal, it was active only in the night when its potential predators would not be out for hunting. With its greenish plumage, the Kakapo could likely be well camouflaged among the forest foliage in the daytime when it is resting hence evading detection by its predators. It was able to effectively hunt for food in the night given its ability to climb trees and travel significant distances over land despite lacking the ability to fly.

(ii) - (d) Both (a) and (b).

Explanation:

As humans settled in New Zealand, they would have cleared the land to make way for their own needs, e.g., farmland, hence shrinking the natural habitats of the Kakapo. The new mammals that were introduced into the Kakapo's habitats might have out-competed the Kakapo for the limited food resources available. The new mammals that were introduced might also have easily preyed on the Kakapo (e.g., by using their sense of smell), as the Kakapo likely lacked the necessary adaptations to defend itself given that such predators were never present in the past. For instance, many mammals such as cats are nocturnal and hence would prey on Kakapo when the latter are also active at night.

(iii) - (d) All of these.

Explanation:

The small populations results in a very small gene pool, i.e., a very limited variety of alleles/traits among surviving individuals of the species. Even if the existing birds manage to breed and multiply significantly, there would be very limited genetic diversity among the resulting offspring. This would lead to reduce capacity of the species to adapt to and survive changes in the environment. There may also be reduced fitness in the offspring given increased likelihood of homozygosity of recessive harmful/ deleterious alleles, which would result in

these alleles being expressed to bring about unfavourable phenotypes.

(iv) - (d) All of these.

Explanation:

We should conserve biodiversity. The reason for this can be broadly divided into three categories: (i) Narrowly utilitarian (Humans derive a major part of their requirement from organisms). (ii) Broadly utilitarian (Biodiversity is fundamental to ecosystem services of nature). (iii) Ethical (Every living species has an intrinsic value, it is our moral duty not to destroy them).

(v) - (c) Cryopreservation.

Explanation:

Ex situ (off site) conservation is conservation of selected rare plants/ animals in places outside their natural homes. It is a desirable approach to save threatened or endangered plant or animal species from extinction. Ex situ conservation includes offsite collections, gene banks, in vitro fertilisation, cryopreservation techniques and tissue culture.

2.

(i) (b) Pollution

Explanation:

Evil quartet, i.e., four major causes of biodiversity loss are habitat loss and fragmentation, over exploitation, alien species invasion and co-extinction.

(ii)(a) Stellar sea cow.

(iii) - (b) Lack of genetic variability.

Explanation:

Population traits which make species susceptible to extinction are: small population, higher status of trophic level and inability to switch over to alternate foods.

(iv) - (a) Both assertion and reason are true and reason is the correct explanation of assertion.

(v) - (c) Habitat destruction.